

EPCS: Can I send multiple schedule II medications in a prescription?

07/24/2024 2:15 pm EDT

Sending Multiple EPCS Medications in a Prescription

In DrChrono EHR, it is possible to send multiple EPCS prescriptions. On the New Prescription page, simply select the + button in the upper right-hand corner to add a new medication form to the list.

As you would with any prescription, fill out the form with any combination of schedule II, III, IV, or V medications. For all schedule II drugs, **verify that refills are filled in as '0' due to federal limitations on refilling controlled substances.**

New Prescription

Patient's Prescriptions



Medication

Favorite me

Medication

Compound

Supply

Some profile

Type*

Medication

Compound

Supply

Medication*

fentaNYL 1200 mcg oral transmucosal lozenge



Controlled Substance Level 2

N/A: U

Generic

RX

SIG* ⓘ

Place 1 lozenge in mouth until dissolved. Do not chew.

Dispense*

20

Dispense Unit*

Lozenge

DAW

Yes

No

Refills

0

Add to Favorites

Add to Medication List ⓘ

Notes to Pharmacist

* Please do not enter SIG, Effective Date, Drug Name, Strength, Quantity or Dispense Unit in this field.

Medication

Favorite medications



Type*

Medication

Compound

Supply

Medication*

Percocet 10/325 oral tablet



Controlled Substance Level 2

N/A: U

Brand

RX

SIG* ⓘ

Take 1 orally as needed per day.

Dispense*

60

Dispense Unit*

Tablet

DAW

Yes

No

Refills

0

Add to Favorites

Add to Medication List ⓘ

Notes to Pharmacist

* Please do not enter SIG, Effective Date, Drug Name, Strength, Quantity or Dispense Unit in this field.

Afterward, select your patient's pharmacy and select **Preview Prescription**. On the Prescription Summary page, for each controlled substance, you will need to check the **Ready to Sign** checkbox. Now, when you select **Send Prescription**, your login credentials and Multi-Factor Authentication access code will be applied to all your controlled substances in this list.

[Edit Prescription](#) [Start over](#)

[Print Prescription](#) [Fax Prescription](#) [Send Prescription](#)

Prescription Summary

Betty Test Jackson

ⓘ DEA Number: MS1809079
 📍 Test 1001 N Rengstorff Ave, Mountain View, CA, 94043
 ☎ 6506905986
 🕒 Date written (UTC): 01/09/2017

10.6 PPI FACILITY

📍 10.6 PPI FACILITY DRIVE STE 24 MOON TOWNSHIP, PA 15108
 ☎ +1.412.847.7877
 📠 Fax: +1.412.588.4447
 ⓘ Retail

Drug-Drug & Drug-Allergy Interactions

Risk	Severity	Drug 1	Drug 2	Interaction Summary
C	Moderate	fentaNYL	acetaminophen-oxyCODONE	CNS Depressants may enhance the adverse/toxic effect of other CNS Depressants. more
C	Major	fentaNYL	acetaminophen-oxyCODONE	Analgesics (Opioid) may enhance the serotonergic effect of Serotonin Modulators. This could result in serotonin syndrome. more
B	Minor	acetaminophen-oxyCODONE	fentaNYL	Analgesics (Opioid) may decrease the absorption of Acetaminophen. The extent to which this decreases total systemic exposure to acetaminophen is uncertain. more

Medication List

1	fentaNYL 1200 mcg oral transmucosal lozenge (CS Level 2)	<input checked="" type="checkbox"/> Ready to sign
Place 1 lozenge in mouth until dissolved. Do not chew.		
	Dispense: 20	PUC: Lozenge
	DaW: No	Refills: 0
Notes to Pharmacist:		
2	Percocet 10/325 oral tablet (CS Level 2)	<input checked="" type="checkbox"/> Ready to sign
Take 1 orally as needed per day.		
	Dispense: 60 Lozenge	PUC: Tablet
	DaW: No	Refills: 0
Notes to Pharmacist:		

When you pass the 2-factor Authentication check, you will see all of your controlled substances marked with a green checkmark. This indicates that the prescription has been sent to the pharmacy.

Prescription Status

#		Medication	Status
1	✓	fentaNYL 1200 mcg oral transmucosal lozenge	
2	✓	Percocet 10/325 oral tablet	

To verify that both medications were sent, you may select the **Medication List** tab in your patient's chart. Here you will be able to confirm the order status of your patient's medications.

Active Medication Orders

[+ Add Medication](#) [Print List](#)

Medication	Rxnorm	Dispense	Refills	SIG	Order Status	Date	
<input type="checkbox"/> fentaNYL 1200 mcg oral transmucosal lozenge	310293	20.000		Place 1 lozenge in mouth until dissolved. Do not chew.	Electronic eRx Sent	01/09/2017+	i edit trash
<input type="checkbox"/> Percocet 10/325 oral tablet	1049625	60.000		Take 1 orally as needed per day.	Electronic eRx Sent	01/09/2017+	i edit trash