How do I remove items on my patient's appointment detail view?

07/24/2024 4:15 pm EDT

In the iPad EHR app, all your appointment information is viewable in the Appointment Detail View pane underneath your patient's basic information. To customize this area, you can rearrange or add/remove fields.



To remove fields in the Appointment Detail View pane, access the **Account** section in your navigation bar, select the settings tab, and tap **Appointment Detail View Settings**.

Account	Settings		
🔅 Settings	SAMPLE DATA		
	Turn on Sample Data	☐ Turn off Sample Data	
Practice Chat	8		
Medical Forms Library	SECURITY		
Meaningful Use Report	Disable 4-digit PIN Protection		
~~~ · ·	View Your PIN		
? Help	Change PIN		
S Pricing Plans	Require PIN Code	Immediately	
Rate DrChrono EHR	Use Touch ID		
Terms of Service	When PIN protection is enabled, drchrono EHR requires a 4-digit PIN (or Touch ID / Face ID) before granting access.		
	PREFERENCES FOR: DRBRENDAN		
Lock	Remember Last Chart Position	$\bigcirc$	
	No Default Template - Set at drchrono.com		
Log Out	Default Homepage	EHR	
Jser James S	Appointment Detail View Settings		
vp Version v11	0.50 Patient Menu Settings	<b>`</b>	
	Speech-to-Text Settings	$\mathbf{N}$	
	dr) EHR		

Here, you can toggle switches based on which fields you would like to remove. A green switch (

) indicates that the field will appear in the Appointment Detail View pane and a grey switch (

) indicates a hidden field. Tap the switch of the detail you would like to remove.

Account	Settings Appointment Detail	View
	Patient Appointment Panel	Required
Settings	Appointment Details	
	Billing Details	
Practice Chat	Billing Onset Date	$\bigcirc$
Medical Forms Library	Patient Flags	
Meaningful Use Report	Patient Address	
	CDS Matches	
Help	Vitals	
Pricing Plans	Appointment Notes	
Rate DrChrono EHR	Patient Notes	
Terms of Service	Contact Information	
Lock	Previous Appointments	
Log Out	Primary Insurance	
Break the Glass	Secondary Insurance	
r James Sr	nith	
Dashboard	dr EHR Messages	ks Account